CORRECTION Open Access



Correction to: Muscle B mode ultrasound and shear-wave elastography in idiopathic inflammatory myopathies (SWIM): criterion validation against MRI and muscle biopsy findings in an incident patient cohort

Shereen Paramalingam^{1,2*}, Merrilee Needham^{1,3,4,8}, Sarah Harris^{5,6}, Susan O'Hanlon⁷, Frank Mastaglia⁸ and Helen Keen²

Correction to: BMC Rheumatology (2022) 6:47.

https://doi.org/10.1186/s41927-022-00276-w

Following publication of the original article [1], it was reported that there was an error in the caption for Fig. 1A.

The caption previously read: "Fig. 1A US image showing patchy mild changes in echogenicity with hypoechoic areas and corresponding subcutaneous echogenicity in the vastus lateralis (cross-section) in a 26-year-old with Anti-NXP2."

The correct caption is: "Fig. 1A Mild increased echogenicity in the vastus lateralis (cross section) and subcutaneous tissue with patches of hypoechogenicity in a 26-year-old with Anti-NXP2 DM."

The article also contained several typographical errors, which have been corrected.

The original article [1] has been updated.

Author details

¹University of Notre Dame Australia, Fremantle, WA, Australia. ²Department of Rheumatology, Fiona Stanley Hospital, 11 Robin Warren Dr, Murdoch, WA 6150, Australia. ³Institute for Immunology and Infectious Diseases, Murdoch University, Murdoch, WA, Australia. ⁴Department of Neurology, Fiona Stanley Hospital, Murdoch, WA, Australia. ⁵Institute for Health Research, Notre Dame Australia, Fremantle, WA, Australia. ⁶Western Australian Health Translation Network (WAHTN), Bentley, WA, Australia. ⁷Department of Radiology, Fiona Stanley Hospital, Murdoch, WA, Australia. ⁸Present Address: Perron Institute for Neurological and Translational Science, University of Western Australia, Crawley, Australia.

Published online: 30 August 2022

Reference

 Paramalingam S, Needham M, Harris S, et al. Muscle B mode ultrasound and shear-wave elastography in idiopathic inflammatory myopathies (SWIM): criterion validation against MRI and muscle biopsy findings in an incident patient cohort. BMC Rheumatol. 2022;6:47. https://doi.org/10. 1186/s41927-022-00276-w.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at https://doi.org/10.1186/s41927-022-00276-w.

*Correspondence: shereen.paramaling am@health.wa.gov.au

¹ University of Notre Dame Australia, Fremantle, WA, Australia Full list of author information is available at the end of the article



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.